BM PTO-1449/A and B (Modified) INFORMATION DISCLOSURE STATEMENT BY APPLICANT

of 7

Sheet

APPLICATION NO.: 10/083,284

ATTY. DOCKET NO.: \$01364.70033.US CONFIRMATION NO.: 4144

FILING DATE:

February 26, 2002

APPLICANT: Roy Martin

GROUP ART UNIT: 1724

EXAMINER: Not yet assigned

U.S. PATENT DOCUMENTS

Examiner's	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issue	
nitials#	No.	Number T896,051	Kind Code	Document	of Cited Document MM-DD-YYY 03-28-1972	
<u> </u>	1			A.H. Hamlin et al.		
	2	2,008,684		F.L. Craddock	07-23-1935	
	3	2,212,260	L	A. Brothman	08-20-1940	
	4	2,249,263		G.F. Wheelwright, Jr.	07-15-1941	
	5	2,268,461		R.D. Nichols		
	6	2,556,014		S.L. Tolman	12-30-194	
	7	2,651,582		E.J. Courtney		
3	8	2,686,110		J.A. Carver		
	9	2,740,696		J.P. Longwell		
	10	3,252,689		O.C. Blomgren, Sr. et al.	04-03-1956	
	11	3,319,937		C.L. Wilson et al.	05-24-1966 05-16-1967	
	12	3,389,970		E.G. Scheibel	06-25-1968	
	13	3,536,646		Asa Elliott Hatch et al.	10-27-1970	
	14	3,559,959		Walter M. Davis et al.		
	15	3,702,298		Zsoldos et al.	02-02-1971	
	16	3,742,735		Verreyne et al.	11-07-1972	
	17	3,747,899		Latinen, deceased et al.	07-03-1973	
	18	3,756,570		Bühner	07-24-1973	
	19	3,794,817		Shinskey	09-04-1973	
	20	3,852,234		Venema	02-26-1974	
	21	3,965,027		Boffardi et al.	12-03-1974	
\perp \neg	22	4,016,078		Clark	06-22-1976	
	23	4,113,688		Pearson	04-05-1977	
	24	4,125,574		Kastner et al.	09-12-1978	
	25	4,146,676		Saeman et al.	11-14-1978	
	26	4,171,166		Trowbridge et al.	03-27-1979	
	27	4,217,145		Gaddis	10-16-1979	
	28	4,218,147		Rosenberger	08-12-1980	
	29	4,233,265		Gasper	08-19-1980	
		4,234,440		Hirozawa et al.	11-11-1980	
		4,241,016		Hirozawa et al.	11-18-1980	
		4,243,636		Shiraki et al.	12-23-1980	
		4,300,909		Krumhans!	01-06-1981	
		4,433,701		Cox et al.	11-17-1981	
		4,470,907		Seneza	02-28-1984	
		4,522,502		Brazelton	09-11-1984	
7		4,550,011		McCollum	06-11-1985 10-29-1985	

682994.1

Inh Pauce 12-10-03



Art Unit Page 2 of 7

U.S. PATENT DOCUMENTS

Examiner's	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issu	
Initials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYY	
71-	38	4,575,678		Hladky	03-11-1986	
	39	4,581,074		Mankina et al.	04-08-1996	
	40	4,648,043		O'Leary	03-03-1987	
	41	4,664,528		Rodgers et al.	05-12-1987	
	42	4,701,055		Anderson	10-20-1987	
	43	4,719,252		Dutton et al.	01-12-1988	
	44	4,747,978		Loehr et al.		
	45	4,752,740		Steininger	05-31-1988 06-21-1988	
	46	4,913,822		Chen et al.		
	47	4,965,016		Saitoh et al.	04-03-1990	
	48	4,977,292		Hwa et al.	10-23-1990	
	49	5,000,866		Woyciesjes	12-11-1990	
	50	5,004,549		Wood et al.	03-19-1991	
	51	5,018,871		Propolitor et et	04-02-1991	
	52	5,030,334	·	11.1	05-28-1991	
$I \neg \neg$	53	5,061,456		Brazelton et al. Mullins et al. Thornhill Brazelton et al. Eden et al. Brażelton et al.	07-09-1991	
	54	5,112,521		Mullins et al.	10-29-1991	
	55	5,130,033		Thornhill Co.	05-12-1992	
	56	5,135,968		Description	07-14-1992	
	57	5,139,627	+	Brazelton et al.	08-04-1992	
	58	5,164,429		Eden et al.	08-18-1992	
	59	5,213,694	╅╼╼╌╁		11-17-1992	
	60	5,239,257	- - 	Craig	05-25-1993	
-	61	5,256,307		Mulier et al.	08-24-1993	
		5,262,963	+	Bachhofer et al.	10-26-1993	
		5,306,355	 	Stana Regis et al.	11-16-1993	
				Lagana	04-26-1994	
		5,306,432		Puetz	04-26-1994	
		5,316,031		Brazelton et al.	05-31-1994	
		5,320,748		Dúpuis	06-14-1994	
		5,332,511		Gay et al.	07-26-1994	
		5,382,367		Zinkan et al.	01-17-1995	
		5,422,014		McLeod et al.	06-06-1995	
		5,424,032		Christensen et al.	06-13-1995	
		5,489,344		Martin et al.	02-06-1996	
		5,494,588		aZonby et al.	02-27-1996	
		5,575,920	J1	reese et al.	11-19-1996	
		5,658,467	i	aZonby et al.	08-19-1997	
		5,683,654		Dallmier et al.	11-04-1997	
		,736,097		Ono	04-07-1998	
		,770,039	F	ligney et al.		
		,783,092		ines et al.	06-23-1998	
7		,785,867		aZonby et al.	07-21-1998	
80	0 5	,800,732		Coughlin et al.	07-28-1998 09-01-1998	

682994.1

Irail Lawrence 12-16-03

MUR 17 2000 6

Art Unit Page ³ of 7

Examiner's	Cite	- Negon work Or		Name of Patentee or Applicant of Cited	Date of Publication or of issu	
Initials#	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYY	
n-	81	5,814,233		Starkey et al.		
	82	5,814,247	_	Derule et al.	09-29-1998	
	83	5,820,256		Morrison	09-29-1998	
	84	5,849,985		Tieckelmann et al.	10-13-1998	
	85	5,855,791		Hays et al.	12-15-1998	
	86	5,858,246		Rafter et al.	01-05-1999	
	87	5,858,249		Higby	01-12-1999	
	88	5,866,013		Kessler et al.	01-12-1999	
	89	5,882,526		Brown et al.	02-02-1999	
	90	5,888,374		Pope et al.	03-16-1999	
	91	5,895,565		Steininger et al.	03-30-1999	
	92	5,902,751		Godec et al.	04-20-1999	
	93	5,947,596		Dowd	05-11-1999	
	94	5,972,196		Musehandal	09-07-1999	
	95	5,980,758		Maitland Martincheke al. Peachy-Stoner Morrison et al. Beardwood et al. Ohki et al. Goudiakes et al.	10-26-1999	
	96	5,985,155		Maitland Me.	11-09-1999	
	97	6,015,484		Martinchek al.	11-16-1999	
	98	6,030,842		Peachy-Stoner	01-18-2000	
	99	6,045,706		Morrison et al.	02-29-2000	
	100	6,068,012		Beardwood et al.	04-04-2000	
	101	6,106,770		Ohki et al.	05-30-2000	
	102	6,120,619		Goudiakas et al.	08-22-2000	
	103	6,120,698		Rounds et al.	09-19-2000	
	104	6,132,593		Tan	09-19-2000	
	105	6,143,184	 	Martin et al.	10-17-2000	
	106	6,146,538		Martin et al.	11-07-2000	
	107	6,149,819			11-14-2000	
	108	6,159,552	 -	Martin et al.	11-21-2000	
		6,238,555	BI	Riman et al.	12-12-2000	
		6,284,144	BI	Silveri et al.	05-29-2001	
		6,315,950		Itzhak	09-04-2001	
		2002/0043650	BI	Harp et al.	11-13-2001	
		6,409,926	Al	Martin	04-18-2002	
		6,419,817	BI DI	United States Filter Corporation	06-25-2002	
		6,423,234	BI	United States Filter Corporation	07-16-2002	
		2002/0152036	Bt	Martin	07-23-2002	
T		5002/01/2020	Al	Martin	10-17-2002	

frank faurence 12-10-03

Serial No.: 10/083,284

Conf. No.: 4144

Art Unit Page 4 of 7

FOREIGN PATENT DOCUMENTS

Examiner's	Cite No.	Foreign Frient Document			Name of Patentee or Applicant of Cited	Date of	Γ
Initials#		Office/ Country	Number	Kind Code	Document (not necessary)	Publication of Cited Document MM-DD-YYYY	Translation (Y/N)
12	117	Luxembourg 🗸	80951		Dennis Thomas Corbett et al.	02-20-1979	N
	118	Europe /	0 257 740	Al	Strancoa, Inc.	03-02-1988	114
	119	DD /	262 139	A3	Berlin Sportstaenenberrieb	11-23-1988	V nasisl
	120	DE /	4 312 417	Al	Henkel KOaA	10-20-1994	Y partial
	121	EP /	0 504 621	Al	Urea Casale S.A.	09-23-1992	14
	122	FR V	2672058	Al	Universite de Nanoy	07-31-1992) T
	123	GB 🗸	2281742	A	WR Grace & Co.	03-15-1995	N
	124	JP 🗸	11028479		Ketakura et al.	102-1999	37.7.1
	125	WO 🗸	89/08728	ΑĪ	COMALCO ALUMINIUM LIMITED	09-21-1989	Y (abstr)
	126	wo 🗸	96/30307	Al	Bioquest		
*	127	wo	00/34760	Ai	Baker Hughes Inc.	10-03-1996	
#	128	wo .	01/98558	A2	United States Pilter Corporation	06-15-2000 12-27-2001	

OTHER ART - NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the Examiner's Cite item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue Initials# Translation (Y/N) number(s), publisher, city and/or country where published. KIM, Yong H., "On the Activation of Polymeric Flocculants," AIChE Annual Spring Meeting, Houston, TX, April 2-6, 1989 130 DEXTER ET AL., "Use and Limitations of Electrochemical Techniques for Investigating Microbiological Corrosion", Corrosion, 1991, Vol. 47, No. 4, pp. 308-318 GUSMANO ET AL., "Electrochemical Noise Resistance as a Tool for Corrosion Rate Prediction", 131 Corrosion, 1997, Vol. 53, No. 11, pp. 860-868 Corrosion, 1997, Vol. 53, No. 11, pp. 860-868

U.S. FILTER/STRANCO, "Ryznar Stability Index The 3rd Dimension Needed for Proper 'Water'." 132 Balance," Aquatic Technology Newsletter, Vol. 1, No. 1, pp. 1-3 U.S. FILTER/STRANCO, "Total Dissolved Solids, Friend or Foe?", Aquatic Technology 133 Newsletter, Vol. 1, No. 2, 1988; pp. 1-7 U.S. FILTER/STRANCO, "The Relationship of ORP to PPM and Its Automated Control," Aquatic 134 Technology Newsletter, Vol. 1, No. 3, 1999, pp. 1-5 U.S. FILTER/STRANCO, "The Chemistry and Control of Chloramines," Aquatic Technology 135 Newsletter, Vol. I, No. 4, 1999, pp. 1-5 U.S. FILTER/STRANCO, "Yes, Your Pool Needs Calcium Too," Aquatic Technology Newsletter, 136 Vol. 1, No. 5, pp. 1-3 U.S. FILTER/STRANCO, "Why Do I Have Algae In My Pool?" Aquatic Technology Newsletter, 137 Vol. 1, No. 6, 1999, pp. 1-2 CARPENTER, Colleen et al., "Chlorine Disinfection of Recreational Water for Cryptosporidium parvum," Emerging Infectious Diseases, Vol. 5, No. 4, July-August 1999, pp. 579-584 U.S. FILTER/STRANCO, "ECS-Pool (w/CHF-150) Engineering Packet," April 22, 1999 KOWALSKY, L., "Pool-Spa Operators Handbook," National Swimming Pool Foundation, 1983-140 LYNNTECH, INC., "Electrochemical Ozone Generator," Model 124 Product Literature (date 141 unknown) U.S. FILTER/STRANCO, "Strantrol Automated Water Chemistry Control for Commercial Pools," 142 U.S. FILTER/STRANCO, "Strantrol System 3 Pool & Spa Chemistry Controller," 2000 U.S. FILTER/STRANCO, "Strantrol System 4 Pool & Spa Chemistry Controller," 2000 145 U.S. FILTER/STRANCO, "Strantrol System5F Pool & Spa Chemistry Controller," 2000

146 U.S. FILTER/STRANCO, "Strantrol System6 Pool Chemistry & Filter Backwash Controller," 2000

682994,X

Irul Kereene 12-10-03

୍MAR 1 7 2003 ଛି

Art Unit Page 5 of 7

OTHER ART - NON PATENT LITERATURE DOCUMENTS
Include name of the article (when appropriate), title of the Examiner's Cite Initials# item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue Translation (Y/N) number(s), publisher, city and/or country where published. U.S. FILTER/STRANCO, "Strantrol System7 Mechanical Room Controller for Aquatic Facilities," 147 KLOBERDANZ, B., "The Air in There: Enhancing an Indoor Pool Environment," Recreation 148 Management, 2000 SELVICK, E., "Take Control of 'Yo-Yo' Treatment Cycles," International Aquatics, National Trade 149 Publications, Inc., July/August 1997 FRAZIER, B., "Automation to the Rescue," Aquatics International, May/June 1998 150 BATT, T. et al., "The Water Down Under," Parks & Recreation, November 1999 151 KRONE, D., "Automated Water Chemistry Control at University of Virginia Pools," Facilities 152 Manager, Vol. 13, No. 6, November/December 1997 U.S. FILTER/STRANCO, "Remote Monitoring for Unstaffed Pools," Parks & Recreation, November 1997 MINTON, E., "On the Waterpark," Swimming Pool/Spa Age (date unknown) 154 U.S. FILTER/STRANCO, "Environmental Control at Indoor Pool: New ECS System Eliminates 155 Chronic Air Quality Woes For New York School District Pool," Stranco Products Capsule Case History #806, July 1998 U.S. FILTER/STRANCO, "Environmental Control at Indoor Pool Complex: New ECS System Optimizes Air & Water Quality at Colorado Recreation Center," Stranco Products Capsule Case History #807, November 1998 U.S. FILTER/STRANCO, "Environmental Control at Indoor-Pool: Parks District Uses New ECS System to Eliminate Chronic Air Quality Problems at High School Pool," Stranco Products Capsule Case History #808, May 1999 U.S. FILTER/STRANCO, "Environmental Control at Indoor Pool: ECS System Optimizes Air & Water Quality at Texas School District Swim Center," Stranco Products Capsule Case History #811, November 1999 U.S. FILTER/STRANCO, "Environmental Control at Special Indoor Pool: New ECS System 159 Eliminates Chronic Air Quality Woes in School District Pool & Spa Serving Special Needs Children," Stranco Products Capsule Case History #812, October 1999 U.S. FILTER/STRANCO, "Environmental Control at Indoor Pool: ECS System Eliminates Chronic Air Quality Problems at High School and Parks District Indoor Pool Facility," Stranco Products Capsule Case History #813, July 2000 U.S. FILTER/STRANCO, "Environmental Control at Indoor Pool: ECS System Optimizes Air & Water Quality at Iowa Recreation Center," Stranco Products Capsule Case History #814, May 2000 V U.S. FILTER/STRANCO, "Air & Water Quality Control for Indoor Aquatic Facilities," U.S. Filter 162 U.S. FILTER/STRANCO, "Strantrol ECS - Environmental Control System (For Pool)," 2000 U.S. FILTER/STRANCO, "Abstracts of Strancol ECS Case Histories," (date unknown) WILLIAMS, K., "Aquatic Facility Operator Manual," National Recreation and Park Association, NORMENAUSSCHUSSE WASSERWESEN, "Treatment and disinfection of water used in bathing facilities," DIN 19643-4, February 1999 NORMENAUSSCHUSSE WASSERWESEN, "Treatment and disinfection of water used in bathing 167 facilities," DIN 19643-3, April 1997 NORMENAUSSCHUSSE WASSERWESEN, "Treatment and disinfection of water used in bathing 168 facilities," DIN 19643-2, April 1997 NORMENAUSSCHUSSE WASSERWESEN, "Treatment and disinfection of water used in bathing facilities," DIN 19643-1, April 1997 170 STRANCO, "The Best of Poolfax," The Poolfax Newsletter, 1981-1984 VICTORIN et al., "Redox potential measurements for determining the disinfecting power of chlorinated water," J. Hyg., Camb., 70, 1972, pp. 313-323 U.S. FILTER/STRANCO, "Environmental Control System Training Meeting, March 15, 2000" 172 KIM, Yong H., "Evaluation of Redox Potential and Chlorine Residual as a Measure of Water Disinfection," presented at the 54th International Water Conference, Pittsburgh, PA, October 11-13,

682994.1

Inh Lane 12-10-03

Art Unit Page 6 of 7

		TO THE VIEW OF THE PROPERTY OF	7	
_	200	ACU-TROL, "Acu-Trol Programmable Controllers: AK100 Series and AK200," Product Literature		
·	199	ACU-TROL, "AK100 Series" Product Literature (date unknown)	_	
		The state of the s		
<u> </u>			_	
<u> </u>	196	"Chemtrol - PC3000 Controller," Product Literature from www.sbcontrol.com, printed 11/19/99		
<u> </u>				
	195	"Chemtrol Automatic Pool Controllers," Product Literature from www.sbcontrol.com, printed		
	194	SANTA BARBARA CONTROL SYSTEMS "Chamter I'M DO B		
	193	"Acti-Trol Programmable Controllers," Product Literature (date unknown) SANTA BARBARA CONTROL SYSTEMS (SCHOOL STREET) SANTA BARBARA CONTROL STREET SANTA BARBARA STREE		_
	192	"Pool and Spa Controller: Acu-200 Pool Management Software," Product Literature (date unknown) "Acu-Trol Programmable Controllers." Product Literature (date unknown)		
	191	"Aquasol Controllers: Chemical Automation for Pools and Spas," Product Literature (date unknown)		_
	190	KISER, P. et al., "ORP or Residual: Which Measures Oxidation?" September 10, 1992, pp. 1-7		_
		County, February 1994 County, February 1994	- 1	
	189	"Louisiana Plant Uses New Technology for Dechloring In the Louisiana Plant		
		Magazine, November, 1994		
	188	D'ADAM, D. et al., "A Case Study of Wastewater Plant Division II		
	12	Forum, Vol. 11, No. 4, April 1994	T	
	187	RYAN, D. et al., "Waste Not. Want Not. Avoiding Chemical Fundamental Published Publish		
		Literature (date unknown)	T	
	186	EDDINGTON, Gordon, "Successfully Managing Worteness Chiling To The Control of the		_
		reprinted from Public Works, January 1995		Τ
l	185	BOSSARD, G. et al., "Optimizing Chloringting/Docklaring)		
<u>_</u>		February 1995		_
1	184	HETZLER, J.T. et al., "ORP: A Key to Nutrient Removal," Operations Forum, Vol. 12, No. 2, February 1995		
		HENSLEY, R. et al., "Disinfection Metamorphosis: From Chemicals to Control," Operations Forum, Vol. 12, No. 4, April 1995		_
	183			
	182	31 RANCO. Solutions: Effluent Dechlories 2. C.		L
\bot		Gothenburg, Sweden Springer-Werlag (1963) and the Municipal Laboratories,		
-I		Concentration of the Reactants," from the Virological Laboratory of the Department of Bacteriology, University of Gothenburg, and the Virological Department of the Municipal Laboratories,	á l	İ
ı		Concentration of the Reactants," from the Virological I should be seen for the		Г
	181	LUND, E., "The Rate of Oxidative Inactivation of Poliovirus and its Dependence on the	6	ľ
\perp		Virological Department of the Municipal Laboratories, Gothenburg, Sweden, Springer-Verlag, (1963), pp. 1-13	1	۲
ŀ	- 1	Virological Laboratory of the Department of Bacteriology, University of Gothenburg, and the	7 \	۲
J		Virological Laboratory of the Department of Policy Processing of Policy Processing of the Department of Policy Processing of the Policy Processing		t
7	180	LUND, E., "The Significance of Oxidation in Chemical Inactivation of Poliovirus," from the Virological Laboratory of the Department of Bacteriology, University of Gothenburg, and the Virological Department of the Municipal Laboratories, Gothenburg, Sweden, Springer-Verlag, (1963), pp. 1-13	Ä	l
		the Virological Department of the Municipal Laboratories, Gothenburg, Sweden, Springer-Verlag, (1961), pp. 330-342	FILL STATE	
1		from the Virological Laboratory of the Department of State Virological Department of the Municipal Laboratorics Output Department of State Virological Department of the Municipal Laboratorics Cut of Gothenburg, and	T	
Į		2. Inactivation of Policinyelius Virus by Chlorination at Different Ovidetion Between Description		t
	179	LUND E. "Inactivation of Policimuslisis Visual City		
		Virological Department of the Municipal Laboratories, Gothenburg, Sweden, Springer-Verlag, (1961), pp. 100-110		1
!		the Virological Laboratory of the Department of Bacteriology, University of Gothenburg, and the		ı
	''"	DOIND CLAIM THE Effect of Dyldston and Doduction on the T.C		╁
	178		•	
1		1 = *Port and the Or Devict to 1027. University of Linthenhung and the Ulint 1		1
- 1	177		 	4
- 1			Ì	1
- 1	176	CARLSON, S., "Fundamentals of water disinfection?" / Water CDT.		4
-+		(date unknown), pp. 801, 803-809, 922-924	•	1
1	17:	Will E, Geor. Chifford, "Handbook of Chlorington and Alternative Division and Alternative Divisi		4
		Environ. Sci. Techn., Vol. 30, No. 5, 1996, pp. 1465-1471	1	
11	17-			
		No litem (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.		ısl: Y/I

track favorence 12-10-03

MAR 1 7 2003 &

Art Unit Page 7 of 7

Examiner's	Cite	Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item (book, magazine, journal, serial supposition, and the control of the article (when appropriate).	
Initials#	No	item (book, magazine, journal, serial, symposium, catalog, etc.), date, relevant page(s), volume-issue number(s), publisher, city and/or country where published.	
	<u> </u>	(daty distribution)	
11	201	AQUASOL CONTROLLERS, INC., "Aquasol WTC," Product Literature, (date unknown)	
	202	AOUASOL CONTROLLEGE NO. Aduast v 1c, Flodder Literature, (date unknown)	
		AQUASOL CONTROLLERS, INC., "What is a Controller?" Product Literature from www.aquasol.com, printed 11/19/99	
	203		1 1
		AQUASOL CONTROLLERS, INC., "Aquasol WTC Specifications," Product Literature from www.aquasol.com, printed 11/19/99	
	204	AQUASQL CONTROLLED NO. 40	
		AQUASOL CONTROLLERS, INC., "Aquasol SPC Specifications," Product Literature from www.aquasol.com, printed 1 1/19/99	
	205	ACU-TROL "AK 100 Summans" Product in	}
	206	ACU-TROL, "AK100 Summary," Product Literature from www.acu-trol.com, printed 11/19/99	
		Literature (date unknown)	
	207	ROLA-CHEM CORPORATION (The Name of the Nam	
	200	ROLA-CHEM CORPORATION, "The New Wave in Water Management: Take Control with Rola- Chem," Product Catalog, April 1999	
	208	STRAND R et al "ORP As a Manus of The Asia	1
		STRAND, R. et al., "ORP As a Measure of Evaluating and Controlling Disinfection in Potable Water," (Source and date unknown)	
	209		}
]	MANSFELD et al., "Electrochemical Noise Analysis of Iron Exposed to NaCl Solutions of Different Corrosivity," J. Electrochem. Soc. Vol. 141 No. 5 May 1994	
	210	Corrosivity," J. Electrochem, Soc., Vol. 141, No. 5, May 1994, pgs. 1402-1404	
	- 1	BRUSAMARELLO et al., "Analysis of Different Methods to Calculate Electrochemical Noise Resistance Using a Three-Electrode Call "Conscient Methods to Calculate Electrochemical Noise	
11	211	Resistance Using a Three-Electrode Cell," Corrosion, Vol. 56, No. 3, March, 2000, pgs. 273-282 MANSFELD et al., "Electrochemical Noise Application of the College of the C	!
<i>t</i>	- 1	MANSFELD et al., "Electrochemical Noise Analysis of Iron Exposed to NaCl Solutions of Different Corrosivity," J. Electrochem Soc., Vol. 140, No. 8, August 1993, pgs. 2205-2209	
		27 2205-2209 voi. 140, No. 8, August 1993, pgs. 2205-2209	- 1

EXAMINER 1	DATE CONSIDERED
- Mak Faurence	12-10-07
HEVANADUED 11111	1 10 0

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.

CHOUP 1700
CHECKEINED